## **i** MANUAL Page 1 of 2

Weldas CE markings on this product designates it as tested and certified according to directive 89/686/ EEC Level 2.

## WELDAS PRODUCT: 38-4340, 38-4350

EN ISO 11611 (2007), Class 2/A1+A2

| EEC Level 2.   | EN 150 11011 (2007), Class 2/A1+A2   |  |
|--|--|--|
| Clothing type: Arc Knight <sup>®</sup>   | Trade mark:         Arc Knight) <sup>®</sup> Size: see imprint on the product  |  |
| Sizing according to: EN ISO 13688 (in CM).   | Intended use:  |  |
| B  | <b>General:</b><br>This product is intended to be used for all arc welding processes like MMA, MIG/MAG, TIG, micro plasma, spot and gas welding as well as plasma and oxygen cutting, gouging, brazing and thermal arc spraying. Because applications vary, it is the user's responsibility to identify the right product for each application.  |  |
| A A  | Identified hazards:<br>With the welding processes of intended use the following hazards are indentified: flames, spatter o<br>molten material, radiant heat as well as short term electrical shock.  |  |
|  | <b>High voltage:</b><br>This product protects against short term electrical shock and not against long term high voltages!<br>Welding and cutting machines can cause these so follow the safety instructions of the machines<br>used as well! When there is an increased risk of shock or electrical live parts additional electrical<br>isolation will be required as is indicated under 6.10 of the EN11611 for protection against live<br>electrical conductors up to 100 V = (DC). |  |
|  | <b>Body protection in all positions:</b><br>This product protects in certain positions of working and welding. It could be possible that extra protection products are required. It is the responsibility of the user to identify that.  |  |
| EU         48         52         56         60         64           A         176         180         184         188         196  | Protection of aprons:<br>In case an apron is used the apron should, at least, protect the user from seam side to seam side   |  |
| B         96         104         112         120         128           C         84         92         100         112         124   | Additional garments:<br>Additional garments shall meet at least Class 1 of the EN11611.  |  |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$  | Improper use:  |  |
| D         79         81         83         85         87           E         63         64         65         66         67  | <b>Level of protection:</b><br>The level of protection will be reduced if the welders protective clothing is contaminated with flammable materials.  |  |
| $C = + 5 \text{ CM}$ $\overrightarrow{\text{Materials used:}}$ Side split cowhide in combination with 520 gr/m <sup>2</sup> flame retardant  | Level of oxygen:<br>Increase of oxygen in the air will reduce considaribly the protection of the welders protective clo-<br>thing against flame. Care should be taken when welding in confined places. Air enriched with<br>oxygen will be dangerous!  |  |
| Fabric is used with 3 ply KEVLAR <sup>®</sup> for manufacturing this product<br>as well as current isolated push buttons and hook and loop fastening<br>materials for the closures and reinforcements.<br>DuPont <sup>TM</sup> and KEVLAR <sup>®</sup> are trademarks or registered trademarks | Electrical isolation:<br>The electrical isolation provided by the clothing will be reduced when the clothing is wet, dirty or soaked in sweat.   |  |
| of E.I.duPont de Nemours and Company   | Use of 2-piece clothing:<br>When 2-piece clothing is used both items shall be worn together to provide the specified level of protection   |  |
| Health information:<br>The pH, Chromium (VI) and PCP levels of all materials have been<br>ested and meet CE health standards. Coloring: coloring is done by  | Additional body protection during welding:<br>Additional body protection used with this product during welding must meet the appropriate EN standard for welding hazards.  |  |
| using natural materials<br>Washing, drying and ironing:<br>No washing, drying and ironing is advised. After cleaning, the<br>clothing should be inspected.   | Limitations for use:<br>This flame retardant cotton / leather work clothing to be used for general labour activities as well as welding. User has to see to it that all closures are closed specially for use with welding applications and the choice of the right size. If molten metal stick to the clothing, the user needs to remove the clothing immediately. The user needs to wear the bib and brace always in combination with a welding jacket.                              |  |
| Storage:<br>Store dry and at temperatures over 5° Celcius.<br>Do not stack higher than 5 cartons on 1 pallet.  | Attention:<br>Weldas gloves and clothing have been tested and certified at TÜV Rheinland LGA Products GmbH,<br>Germany (EU no. 0197). For more information on EN standards, testing methods, test reports, produ<br>certifications, and other products, please e-mail us at: <u>europe@weldas.com</u> or visit our web site:<br><u>www.weldas.com</u>  |  |
| Warrantee:   |  |  |

••••

Weldas Europe B.V. Blankenweg 18 4612 RC Bergen op Zoom The Netherlands e-mail: europe@weldas.com

## The following explains the pictogram marked on this product:

| Subclause               | Requirement  | Class 1  | Class 2  |
|-------------------------|--|--|--|
| 6.1                     | Tensile strength<br>- woven outer textile material<br>- leather  | 400 N<br>80 N  | 400 N<br>80 N  |
| 6.2                     | Tear strength  | 20 N   | 20 N   |
| 6.3                     | Burst strength   | 200 kPa  | 200 kPa  |
| 6.4                     | Seam strength<br>- textile material<br>- leather   | 225 N<br>110 N   | 225 N<br>110 N   |
| 6.5                     | Dimensional change of woven<br>textile materials<br>Dimensional change of knitted<br>textile materials | ≤ ±3%<br>≤ ±5%   | ≤ ± 3 %<br>≤ ± 5 %   |
| 6.6                     | Requirements for leather:<br>fat content   | ≤ 15 %   | ≤ 15 %   |
| 6.7                     | Flame spread   | ISO 15025:2000, Procedure A<br>(surface ignition);<br>ISO 15025:2000, Procedure B<br>(edge ignition);<br>No flaming to the top or either side edge<br>No hole formation <sup>a</sup><br>No flaming or molten debris<br>Mean afterflame ≤ 2 s<br>Mean afterglow ≤ 2 s | ISO 15025:2000, Procedure A<br>(surface ignition);<br>ISO 15025:2000, Procedure B<br>(edge ignition);<br>No flaming to the top or either side edge<br>No hole formation <sup>a</sup><br>No flaming or molten debris<br>Mean afterflame ≤ 2 s<br>Mean afterglow ≤ 2 s |
| 6.8                     | Impact of spatter  | 15 drops   | 25 drops   |
| 6.9                     | Heat transfer (radiation)  | RHTI 24 W 7  | RHTI 24 W 16   |
| 6.10                    | Electrical resistance  | > 10 <sup>5</sup> Ω  | > 10 <sup>5</sup> Ώ  |
| 6.11                    | Innocuousness  | See 6.11   | See 6.11   |
| <sup>a</sup> For ISO 15 | 025:2000, Procedure B, this require  | ement is not applicable  | •  |

## **General safety requirements**

Testing and certification of this product is done according to EN ISO 11611:2007 by TÜV Rheinland LGA Products GmbH, Tillystraße 2, D-90431 Nürnberg, Germany (notified body number 0197).

Test report number 21220174 001 and certificate number BP 60096353 0002.

I Test reports, certificates and manuals can be downloaded from: www.weldas-ce.com

Ĺ

