

## FilterCart Original

Easy to use mobile filter unit for light to medium welding applications



FilterCart Original mobile filter unit for light welding and extraction applications. FilterCart Original includes Extraction Arm Original with an integrated spotlight, which optimizes the user-friendly design. If a larger working range is needed, the 3 m (10 ft.) long arm is recommended.

- Easy to maneuver
- LED spotlight included, better light conditions for better welding result
- Long lasting disposable filter with large filter surface
- HEPA 13 filter optional available

Product name	FilterCart Original
Noise level (dB(A))	73
Filter efficiency (%)	99
Installation	Indoor
Material	Housing in roto moulded plastic. Extraction arm in PVC hose and aluminium frame. Fan in steel and aluminium.
Suitable for combustible dust	False
Material recycling (% weight)	99
Applications	Fumes
Extraction arm diameter (mm)	160
Airflow (m3/h)	1050
Filter Area (m2)	35
Power (kW)	0.75
No of phases	1
Filter type	Cartridge
Number of filter elements	1
Filter material	Cellulose (flame retardant)
Weight (kg)	73
Filter cleaning method	One way filter







Fumes

# FilterCart Original

Power Voltage (V)	Frequency (Hz)	Arm length (m)	Electric plug	Model
230	50	3	Euro	12621345
240	50	3	UK	12623345
110	50	3	UK	12622345
120	60	3	US	12624345
230	50	2	Euro	12621245
240	50	2	UK	12623245
110	50	2	UK	12622245
120	60	2	US	12624245
220	60	2	US	12616245
220	60	3	US	12616345
230	50	3	Euro	12621445*
110	50	3	UK	12624745*

\*Without lamp

# FilterCart Original

Accessory		Part No
	Spark protection for Original hood	10551335
	Precote 5 pcs	12374548
	HEPA filter, 7,5 m2 high-efficiency filter, class H13	12374016
	Filter FC-Original /W3	12374023
	LED lamp for fume extractor (replacement)	10376969

# FilterCart Original

